

## **Ocean Dynamics: Dynamo**

Robert Pinkel

Marine Physical Laboratory

Scripps Institution of Oceanography

La Jolla, California 92093-0213

Phone: (858) 534-2056 fax: (858) 534-7132 email: [rpinkel@ucsd.edu](mailto:rpinkel@ucsd.edu)

Award N00014-10-1-0692

### **LONG-TERM GOALS**

To gain a more complete understanding of ocean dynamical processes, particularly at fine-scale, through comparison of high, mid- and low-latitude observations, near the sea surface, in the main thermocline, and near the sea floor.

### **OBJECTIVES**

To identify the phenomena involved in the cascade of energy from meso-scales to turbulent scales. In particular, we wish to quantify the relationship between fine-scale background conditions and the occurrence of microscale breaking.

### **APPROACH**

Progress is achieved through a steady-state cycle of instrument development, field observation and data analysis. The primary instruments employed include Doppler sonar and rapidly-profiling CTD's. Our instruments produce information that is quasi-continuous in space and time, typically spanning two decades in the wavenumber domain. This broad band space-time coverage enables the investigation of multi-scale interactions.


### **WORK COMPLETED**

Our major accomplishment has been the execution of the Dynamo Leg IV Experiment in December 2011. Our objective was to document the development of the diurnal surface layer and its relationship to the deeper salinity barrier layer and the internal wavefield on the thermocline below. The approach was to deploy a 3.5 km horizontal "Snake array" (Fig.1), consisting of 5 "Macro" Wirewalker profiling floats (Fig 2) that cycled to 200 m, and 5 "mini" Wirewalkers that profiled to 20 m.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>2012</b>		2. REPORT TYPE <b>N/A</b>		3. DATES COVERED <b>-</b>	
4. TITLE AND SUBTITLE <b>Ocean Dynamics: Dynamo</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Marine Physical Laboratory Scripps Institution of Oceanography La Jolla, California 92093-0213</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release, distribution unlimited</b>					
13. SUPPLEMENTARY NOTES <b>The original document contains color images.</b>					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>SAR</b>	18. NUMBER OF PAGES <b>4</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

# WIRE WALKER ARRAY


DYNAMO 2011/12



***Figure 1. The Snake Array as deployed. The Mini Wirewalkers (WWs) are on the 5 shallow moorings at the left of the picture. These are equipped with Temperature-Pressure recorders. The Macro-Wirewalkers each have a CTD. The WW on buoy 11 also carries an Aquadopp current meter.***



***Figure 2. A Macro WW going over the side for a ballasting test. The triangular weights on the bottom of the deployment wire proved too small to keep the wire vertical in the strong equatorial shears. The Macro WWs on the Snake array began to profile well on Dec 24, when the deployment weights were augmented by lengths of chain.***



***Figure 3. Upper Ocean Temperature vs Depth from a Mini-WW (top). Wednesday, Dec 21, featured moderate winds and a DSL that was eventually mixed into the upper ocean. The following day featured rough weather, with peak winds exceeding 25 m/s on the more believable Revelle anemometer, lower. The upper ocean cooled significantly, from both above & below. (Tycho Huussen)***

## RESULTS

Surprisingly strong winds, including an MJO event on Dec 22, typically prevented the formation of a clear Diurnal Surface Layer (Fig3). None-the less, several clear examples were captured experimentally. Independent of the DSL, strong signals of nocturnal convection were seen every night. Our focus is on the lateral variability in these signals. The goal is to get the spatial scale of the

turbulence associated with DSL formation, nocturnal convection, as well as the scales of the internal waves on the thermocline. Graduate student San Nguyen is working on these data.

## **IMPACT/APPLICATIONS**

Dynamo illustrates that sub-kilometer scale *horizontal* variability measurements are feasible in the mixed-layer and upper-ocean. An array or free-drifting cluster of Wirewalkers is a powerful tool for quantifying this variability. Additional experience with the analysis and interpretation of the 4-dimensional (*X-Z-time*) data is needed.

## **TRANSITIONS**

As an aspect of Dynamo, our group has been developing the “macro” and “mini” Wirewalkers, as well as the “Livewire” wave-powered electrical generator. A number of these devices are planned for use in the coming ONR Vietnam and Sri-Lanka DRIs. The technology has been transitioned. The first commercial Wirewalker vehicles are now being produced and sold by Brooke Ocean Technology, US.

## **RELATED PROJECTS**

To investigate deep nonlinear phenomena, it is necessary to provide even greater depth-time coverage than the Wirewalker or conventional shipboard systems can provide. In IWISE 2011, we used an improvement of our Fast CTD to work at depths between 500-1900 m in Luzon Strait. With a 3-5 m/s profiling speed, a range of non-linear motions was detectable for the first time,

## **PUBLICATIONS**

Pinkel, R., M. A. Goldin, J. A. Smith, O. Sun, A. Aja, M. N. Bui, T. Hughen. The Wirewalker, a vertically profiling instrument package powered by ocean waves. J Atmospheric and Oceanic Tech., 2010.

Smith, J.A., R.Pinkel, M.Goldin, O.Sun. S, Nguyen, T.Hughen, M. Bui, and T.Aja. Wirewalker Dynamics. J Atmospheric and Oceanic Tech., 2011.

## **HONORS/AWARDS/PRIZES**

AMS Stommel Award  
Fellow AMS